
## **Spec Sheet**

Wire-wound Chip Power Inductors for Automotive / Industrial Applications (CB series)[CB]

# CB2518T100KV



#### Features

- Item Summary

10uH±10%, 0.25A, 1007/2518 (EIA/JIS)

- Lifecycle Stage
- Mass Production
- Standard packaging quantity (minimum)
- Taping Embossed 2000pcs

#### Products characteristics table

Inductance	10 uH ± 10 %	
Case Size (EIA/JIS)	1007/2518	
Rated Current (max)	0.25 A	
Saturation Current (max)	0.25 A	
Temperature Rise Current (max)	0.6 A	
DC Resistance (max)	0.325 Ω	
DC Resistance (typ)	0.25 Ω	
LQ Measuring Frequency	2.52 MHz	
Self Resonant Frequency (min)	30 MHz	
Operating Temp. Range	-40 to +105 °C (Including-self-generated heat)	
Temperature characteristic (Inductance change)	± 20 %	
RoHS2 Compliance (10 subst.)	Yes	
REACH Compliance (173 subst.)	Yes	
Halogen Free	Yes	
Soldering	Reflow	

#### External Dimensions

Dimension L	2.5 ±0.2 mm
Dimension W	1.8 ±0.2 mm
Dimension T	1.8 ±0.2 mm
Dimension e	0.5 ±0.2 mm


The data is reference only. Electrical characteristics vary depending on environment or measurement condition. TAIYO YUDEN reserves the right to make change to the Date at any time without notice. Before making final selection, please check product specification. 2017.05.03


**TAIYO YUDEN** 


TAIYO YUDEN -Electrical Characteristics Data-2016/9/6

### Wire-wound Chip Power Inductors for Automotive / Industrial Applications (CB series)

CB2518T100KV	Dimension Length : Width :	unit : mm 2.5 +/- 0.2 1.8 +/- 0.2	unit : inch ( 0.098 +/- 0.008 ) ( 0.071 +/- 0.008 )
	Height :	1.8 +/-0.2	(0.071 +/- 0.008)
		10 uH 0.25 / 0.325 250 mA ( ma 600 mA ( ma typical : 30% reduction typical : Temperature	x) x) n from initial L value.







The data is reference only. Electrical characteristics vary depending on environment or measurement condition. TAIYO YUDEN reserves the right to make change to the data at any time without notice. Before making final selection, please check product specification.